



800X | DARK 1600MM | HIGHGLOSS




GLORIOUS

Glorious surfaces that bring new life to your lovely spaces.



ALPEN CELESTE


800X 1600MM





AMARULA BLUE


800X 1600MM





AMAZING GREEN


800X 1600MM





AMAZONITE LAVA NEGRO


800X 1600MM





AMAZONITE VERDE

800X 1600MM





ARMA BLACK


800X 1600MM





ARMA BRONZE

800X 1600MM





AVOCADO BLUE

800X DARK 1600MM HIGHGLOSS






BASIL BLUE

800X 1600MM


DARK HIGHGLOSS





BLUZEE CRYSTAL


800X DARK 1600MM HIGHGLOSS






BLUZEE SAGE


800X 1600MM





CAMELOT TORQUOISE

800X 1600MM





CAMLOT NEON

800X 1600MM


DARK HIGHGLOSS





CANOVA AMBER

800X DARK 1600MM HIGHGLOSS





COSMIC BLACK

800X 1600MM






DRAGO AQUA

800X 1600MM

DARK HIGHGLOSS






DRAGO BLUE

800X 1600MM


DARK HIGHGLOSS





EAGLE BLUE

800X DARK 1600MM HIGHGLOSS






EAGLE BROWN

800X 1600MM HIG







EMIRALD AQUA


800X DARK 1600MM HIGHGLOSS





FLORIAN ICE

800X DARK 1600MM HIGHGLOSS






FOSSIL NERO

800X 1600MM


DARK HIGHGLOSS





GENOVA NATURAL


800X 1600MM





GLAMOUR AZUL


800X 1600MM





LAURENT BLUE

800X DARK 1600MM HIGHGLOSS





LEMOORIANO BLACK


800X 1600MM





LEMOORIANO GREEN

800X DARK 1600MM HIGHGLOSS






LEMOORIANO STEEL

800X 1600MM

DARK HIGHGLOSS






LIVON CHOCO

800X 1600MM


DARK HIGHGLOSS





LIVON NERO


800X DARK 1600MM HIGHGLOSS






LUSH FOREST


800X 1600MM






MINT GREEN

800X DARK 1600MM HIGHGLOSS






MIRANDA ONYX

800X 1600MM

DARK HIGHGLOSS





NORDIC BLUE

800X DARK 1600MM HIGHGLOSS





ONYX ROSE

800X DARK 1600MM HIGHGLOSS






OPELO AQUA

800X 1600MM


DARK HIGHGLOSS





OPELO AZUL


800X DARK 1600MM HIGHGLOSS





ORABICO BLACK


800X 1600MM





ORABICO NEGRO


800X 1600MM





PARADISE AQUA

800X 1600MM





PARADISE RED


800X 1600MM





PETRACIA SILVER


800X 1600MM





PIZZORI AQUA

800X 1600MM






PRISM ONYX

800X 1600MM


DARK HIGHGLOSS





PULSE AQUA


800X DARK 1600MM HIGHGLOSS





PULSE BROWN

800X 1600MM






RIVER BLUE

800X 1600MM


DARK HIGHGLOSS





SELENE ROSSO


800X DARK 1600MM HIGHGLOSS





SELENE STEEL

800X DARK 1600MM HIGHGLOSS







TITANO DENIM

800X 1600MM

DARK HIGHGLOSS





VEGAS BLACK

800X 1600MM



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER IS0-13006/EN14411 GROUP Bla	VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES	As per mig	101111 90 /6	GLOSSOWETEN
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROP		> 2.10 g/cc	DIN 51002
Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
·		101111. 0.00	100 10040 0
SURFACE MECHANICAL PROF Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
		101111. 4	LIVIOI
THERMO HYGROMETRIC PRO Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES	As per mig	IVIIII. TO Gycle	130-10343-11
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	SO-10545-14
SAFETY PROPERTIES	HESISIAIII	i iesisiai il	30-10040-14
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg As per mfg	Fireproof	N. A.
	· · ·	Does not yield	
Lead & Cadmium given off by glazed tiles	As per mfg	Pb & Cd	ISO-10545-15

PACKING DETAILS

Size	Tiles / Box	Coverage Area / Box	Coverage Area / Box
80X160CM	2 pcs	2.56 Sq. m.	27.55 Sq. ft.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.