








ARCHITECTURAL MARVEL WITH TECHNOLOGICAL ADVANTAGE



GLAZED VITRIFIED TILES

Tile Body

The nest quality raw materials make up the resilient and robust tile body of our tiles. The raw materials are ethically sourced and sustainably processed.

Engobe Layer

A highly opacious, fusible, and permeable engobe layer makes the second layer of the tiles of our. The layer makes the tiles highly resistant to water absorption for longevity.

Glaze Layer

A high-quality glaze coating is added to the engobe layer of the our tiles giving the tile properties of texture and shine and making them ready for design and color.


High Pigment Digital Printing Ink

The our surfaces get their unique and versatile properties of the design, color, and more in this stage where digital printing is done on the glaze with high pigment ink for excellent results.

Abrasion-resistant Glaze Layer

The most exceptional aspect of surfaces is their high abrasion-resistant glaze layer which protects the tile's aesthetics, and properties and enhances the functionality of the tiles to a greater extent





EASY TO CLEAN

Superiorly non-porous surfaces are easy to clean due to their resistance qualities and flawless finish.



SCRATCH RESISTANT

Made to endure and sustain, the surfaces are scratch resistant, resisting deep scratches and more.



Growth



Dimensional Stability



Fire



Heat









Prevents Bacterial





Resistant



Resistant

Ecological

RESISTANT

Superior impregnable glaze layer and nonporous quality make the our surfaces superiorly stain resistant.







Residence



APPLICATION AREAS

Superior durability, applicability, and functionality make the our surfaces ideal for extensive use and versatile application.





Shops



Hotels



Public Places




Airports




Malls

WITNESS UNMATCHED **ELEGANCE** UNPARALLELED FUNCTIONALITY.



















PERLINO PEARL


















SIZE 1200x1800mm

FINISH Glossy

THICKNESS 9mm









































GLOSSY FINISH

Opulence has another name with the lustrous and superiorly brilliant finish from the House of Our designed to make your spaces look bigger and more luxurious. The elegant finish is versatile for spaces residential, commercial, or public.

1200x 1800mm

9 mm thickness



Floor Wall
Avira Bianco Avira Bianco

Size 1200x1800mm







AVIRA BIANCO

⊕ Back To Index



RANDOM 4 FACES

Finishes: Glossy I Porse








AVIRA BEIGE


⊕ Back To Index



RANDOM 4 FACES

Finishes: Glossy I Porse







FENIX WHITE


⊕ Back To Index



RANDOM 3 FACES

Finish: Glossy







LYRIS WHITE

⊕ Back To Index



RANDOM 3 FACES

Finishes: Glossy I Porse







OMICRON MOCHA

⊕ Back To Index







RANDOM 4 FACES

Finishes: Glossy I Carving

Size | Thickness | 1200x1800mm | 9mm









ORNATO WHITE

⊕ Back To Index



RANDOM 4 FACES


Finishes: Glossy I Porse

Floor Ornato Crema

Wall Ornato Crema Size | Thickn 1200x1800mm | 9mm

Thickness







ORNATO CREMA

⊕ Back To Index



RANDOM 4 FACES

Finish: Glossy

Wall Floor Provence Ice Provence Ice







PROVENCE ICE

⊕ Back To Index






Finish: Glossy

Floor Provence Grey

Wall Provence Grey

Size | Thickness | 1200x1800mm | 9mm







PROVENCE GREY

⊕ Back To Index



RANDOM 4 FACES

Finish: Glossy

Floor Wall Perlino White

Perlino White

Size | Thickness | 1200x1800mm | 9mm







PERLINO WHITE

⊕ Back To Index




RANDOM 4 FACES

Finish: Glossy

Wall Floor Perlino Pearl Perlino Pearl








PERLINO PEARL

⊕ Back To Index



RANDOM 4 FACES

Finish: Glossy

Size 1200x1800mm








PERLINO TAUPE

⊕ Back To Index



RANDOM 4 FACES

Finish: Glossy

Size 1200x1800mm







TERIX SILVER

⊕ Back To Index



RANDOM 4 FACES

Finishes: Glossy I Porse

Size | T 1200x1800mm | 9







TERIX PEARL

⊕ Back To Index



RANDOM 4 FACES

Finishes: Glossy I Porse

Floor Wall
Terix Taupe
Terix Taupe

Size | Thickness | 1200x1800mm | 9mm







TERIX TAUPE

⊕ Back To Index



RANDOM 4 FACES

Finish: Glossy

Wall
Fodless Travert


Endless Travertine Beige

Size | 1200x1800mm |









RANDOM 2 FACES

Finishes: Glossy I Porse

Size 1200x1800mm

Thickness **9mm**







ENDLESS ORION BIANCO





RANDOM 4 FACES

Finishes: Glossy | Porse | Carving

Floor Endless Orion Silver Wall Endless Orion Silver Size 1200x1800mm

Thickness **9mm**







ENDLESS ORION SILVER

⊕ Back To Index





RANDOM 4 FACES

Finishes: Glossy | Porse | Carving

Floor Endless Orion Beige Wall Endless Orion Beige Size 1200x1800mm

Thickness **9mm**







ENDLESS ORION BEIGE

⊕ Back To Index



RANDOM 4 FACES

Finishes: Glossy | Porse | Carving

Floor Endless Belfast White Wall Endless Belfast White Size 1200x1800mm

Thickness 9mm







ENDLESS BELFAST WHITE

⊕ Back To Index







Finishes: Glossy I Carving

Size | Thickness | 1200x1800mm | 9mm







ENDLESS GLEEZE SILVER

⊕ Back To Index



RANDOM 4 FACES

Finish: Glossy







ENDLESS CIENA BIANCO

⊕ Back To Index



RANDOM 3 FACES

Finishes: Glossy I Porse

Size 1200x1800mm







ENDLESS CIENA CREMA

⊕ Back To Index



RANDOM 3 FACES

Finishes: Glossy I Porse

Size | Thick 1200x1800mm | 9mm







ENDLESS DESTIL PEARL

⊕ Back To Index



RANDOM 3 FACES

Finishes: Glossy I Carving

Size 1200x1800mm







ENDLESS DOVER BIANCO

⊕ Back To Index



RANDOM 4 FACES

Finishes: Glossy I Porse

Size | Thickness | 1200x1800mm | 9mm









ENDLESS DOVER GREY

⊕ Back To Index




RANDOM 4 FACES

Finish: Glossy

Size | 1200x1800mm |







ENDLESS DOVER CREMA

€ Back To Index



RANDOM 4 FACES

Finishes: Glossy I Porse







ENDLESS DOVER TAUPE

⊕ Back To Index







RANDOM 4 FACES

Finish: Glossy

Floor Endless Polaris Silver Wall

Endless Polaris Silver

Size 1200x1800mm

Thickness 9mm







ENDLESS POLARIS SILVER € Back To Index



RANDOM 3 FACES

Size | Th 1200x1800mm | 9r







 ${\tt ENDLESS\ POLARIS\ CREMA} \qquad \textcircled{\bf \bullet} \ {\tt Back\ To\ Index}$




RANDOM 3 FACES

Finishes: Glossy I Carving

Floor Endless Prisma White Wall Endless Prisma White

Size | 1200x1800mm |







ENDLESS PRISMA WHITE

⊕ Back To Index



RANDOM 4 FACES

Finishes: Glossy | Porse | Carving

Floor Endless Prisma Crema Wall Endless Prisma Crema Size | 1200x1800mm |

Thickness **9mm**







ENDLESS PRISMA CREMA

⊕ Back To Index







RANDOM 4 FACES

Size 1200x1800mm Thickness **9mm**









ENDLESS VIVID BIANCO

⊕ Back To Index







RANDOM 4 FACES

Finishes: Glossy I Porse

Floor **Endless Vivid Crema** Wa∥ Endless Vivid Crema Size 1200x1800mm

Thickness 9mm







ENDLESS VIVID CREMA

⊕ Back To Index







RANDOM 4 FACES

Finishes: Glossy I Porse


Size | Thickness | 1200x1800mm | 9mm







ENDLESS BURBERRY SILVER $\ \ \oplus \$ Back To Index



RANDOM 4 FACES


Size | Thickness | 1200x1800mm | 9mm







ENDLESS BURBERRY CREMA ⊕ Back To Index



RANDOM 4 FACES

Size | Thio 1200x1800mm | 9m


Thickness **9mm**







ENDLESS BURBERRY TAUPE ⊕ Back To Index



RANDOM 4 FACES

Size | Thickness | 1200x1800mm | 9mm







ENDLESS MELANGE SILVER \bigcirc Back To Index



RANDOM 3 FACES

Finishes: Glossy I Porse

Floor **Endless Melange Pearl** Wall Endless Melange Pearl Size 1200x1800mm







 ${\tt ENDLESS\ MELANGE\ PEARL} \qquad \textcircled{\bf \bullet} \ {\tt Back\ To\ Index}$




RANDOM 3 FACES

Finish: Glossy

Floor Endless Nebula Gris Wall Endless Nebula Gris Size 1200x1800mm Thickness **9mm**







ENDLESS NEBULA GRIS

⊕ Back To Index







RANDOM 4 FACES

Floor **Endless Nebula Taupe** Wall Endless Nebula Taupe Size 1200x1800mm

Thickness **9mm**







ENDLESS NEBULA TAUPE

⊕ Back To Index







RANDOM 4 FACES

Size | Thickness | 1200x1800mm | 9mm







ENDLESS NICOLE SILVER

⊕ Back To Index





RANDOM 4 FACES

Size | The 1200 x 1800 mm | 9

Thickness 9mm







ENDLESS NICOLE BEIGE

⊕ Back To Index







Wall Endless Palazzo Pearl Size 1200x1800mm







ENDLESS PALAZZO PEARL

⊕ Back To Index



RANDOM 3 FACES

Finish: Glossy

Wall Endless Palazzo Taupe Size | 1200x1800mm |







 ${\tt ENDLESS\ PALAZZO\ TAUPE} \quad \textcircled{\bf \ } {\tt Back\ To\ Index}$



RANDOM 3 FACES

Finish: Glossy


Floor Endless Rafter Gris Wall

Endless Rafter Gris

Size | Thickness | 1200x1800mm | 9mm







ENDLESS RAFTER GRIS

⊕ Back To Index



RANDOM 4 FACES

Finish: Glossy

Size | Thickness | 7mm







RANDOM 4 FACES

Finish: Glossy

Wall Endless Rossalia White

Size 1200x1800mm

Thickness 9mm








 ${\tt ENDLESS\,ROSSALIA\,WHITE}\quad \textcircled{\bf e} \ {\tt Back\,To\,Index}$



RANDOM 4 FACES









RANDOM 3 FACES

Finishes: Glossy I Carving

Floor **Endless Vermont Pearl**

Wall **Endless Vermont Pearl**

Size 1200x1800mm 9mm

Thickness







 ${\tt ENDLESS\ VERMONT\ PEARL} \quad \textcircled{\bf e} \ {\tt Back\ To\ Index}$



RANDOM 3 FACES

Finishes: Glossy I Carving



CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MEAN VALUE OF OUR PGVT	MEAN VALUE OF OUR GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm2	Min. 35 N/mm2	Min. 35 N/mm2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1700 N	Min. 1700 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	Max. 6.5 x 10-6	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
Lead & Cadmium given off	As per mfg	Does not yield	Does not yield	ISO-10545-15
by glazed tiles		Pb & Cd	Pb & Cd	

TECHNICAL SPECIFICATION

SIZE	THICKNESS (approx.)	PIECES / BOX	AREA / BOX	WT. / BOX (approx.)
1200x1800mm	9mm	2 pcs.	4.32 sq. mtr.	92 kgs.



