



GLITERA

UNVEILING

COLORBODY TILES

600 X 600 MM

THICKNESS: 16 MM

www.gliteraceramic.com



GLITERA

COLORBODY
TILES

600 X 600MM [16MM]

BRAND APPROCH

Approach always play a key role of intermediate between the brand and the end user. Better the approach of the brand, more the growth of the brand.

The only approach throughout our production to be one of the most reputed brand of all time is not to follow market trends but to create and develop new trends for market with our all time fresh collection, advancement of technology and top notch customer services.

VERSATILE IN BODY TYPES

**BLACK
BODY**

**CHOCO
BODY**

**GREY
BODY**

**IVORY
BODY**



PRODUCT APPLICATIONS POSSIBILITY

PERFECT SIZE
FOR EXTERIOR
LUXURY

600X
600MM

COLOR
BODY
TILES

16MM
THICKNESS

INSTALLATION
ON GRASS



INSTALLATION
ON GRAVEL



INSTALLATION
ON ADHESIVE



SUITABLE APPLICATIONS



DRIVEWAYS *
PATHWAYS



SWIMMING
POOLS



URBAN FURNITURES
& PUBLIC SPACE



HIGH-TRAFFIC
AREA



PUBLIC PARKS &
GARDENS



TERRACES &
BALCONIES



CAR PARKS &
DRIVEWAYS

R11 DURABLE &
RELIABLE

These tiles represent lasting quality, with exceptional durability for consistent performance in any room. Rely on them for peace of mind in the years to come.



**600x
600mm**


**PLAIN
PUNCH**

**CHOCO
BODY**

16mm
Thickness

AUTUMN
CHOCO

R-2





**600x
600mm**


**PLAIN
PUNCH**

**IVORY
BODY**

16mm
Thickness

AUTUMN
CREMA

R-2



GLITERA



**600x
600mm**

**PLAIN
PUNCH**

**GREY
BODY**

16mm
Thickness


**AUTUMN
SILVER**

R-2



GLITERA





AUTUMN
GREY

R-2

600x
600mm

PLAIN
PUNCH

GREY
BODY

16mm
Thickness



GLITERA





**600x
600mm**

**RUSTIC
PUNCH**


**CHOCO
BODY**

16mm
Thickness

**COSMIC
TAUPE**

R-5





DOVER
BLACK

R-4

600x
600mm

RUSTIC
PUNCH

BLACK
BODY

16mm
Thickness



GLITERA





**600x
600mm**

**RUSTIC
PUNCH**

**GREY
BODY**

16mm
Thickness

DESERT
SILVER

R-4





**600x
600mm**

**RUSTIC
PUNCH**

**IVORY
BODY**

16mm
Thickness

**DESERT
BEIGE**

R-4





**600x
600mm**

**RUSTIC
PUNCH**

**GREY
BODY**

16mm
Thickness

FOSSIL
GREY

R-4



GLITERA



**600x
600mm**

**RUSTIC
PUNCH**

**IVORY
BODY**

16mm
Thickness

**FOSSIL
ALMOND**

R-4





600x
600mm

RUSTIC
PUNCH

IVORY
BODY

16mm
Thickness

HABANA
NATURAL

R-8



GLITERA





**600x
600mm**

**RUSTIC
PUNCH**

**GREY
BODY**

16mm
Thickness

LAVA
GREY

R-5



GLITERA





**600x
600mm**

**RUSTIC
PUNCH**

**BLACK
BODY**

16mm
Thickness

LAVA
NERO

R-6



GLITERA





**600x
600mm**

**RUSTIC
PUNCH**

**GREY
BODY**

16mm
Thickness

METAL
CEMENTO

R-8



GLITERA





**600x
600mm**

**RUSTIC
PUNCH**

**IVORY
BODY**

16mm
Thickness

MODENA
CREMA

R-6



GLITERA





MODENA
GRAY

600x
600mm

RUSTIC
PUNCH

GREY
BODY

16mm
Thickness

R-4



GLITERA





MODENA
SILVER

R-6

600x
600mm

RUSTIC
PUNCH

GREY
BODY

16mm
Thickness





MODENA
BROWN

600x
600mm

RUSTIC
PUNCH

IVORY
BODY

16mm
Thickness

R-6



GLITERA





600x
600mm

RUSTIC
PUNCH

GREY
BODY

16mm
Thickness

MUSTURD
GREY

R-5



GLITERA



600x
600mm

RUSTIC
PUNCH

IVORY
BODY


16mm
Thickness


MUSTURD
BIANCO

R-5



GLITERA





600x
600mm

RUSTIC
PUNCH

BLACK
BODY

16mm
Thickness


NERO
SLATE

R-10



GLITERA





600x
600mm


RUSTIC
PUNCH

BLACK
BODY


16mm
Thickness

NOOR
BLACK

R-4



GLITERA



600x
600mm


RUSTIC
PUNCH

BLACK
BODY

16mm
Thickness

NOOR
DARK BLUE

R-4



GLITERA



**600x
600mm**

**RUSTIC
PUNCH**


**GREY
BODY**

16mm
Thickness

NOOR
GREY

R-4





600x
600mm


RUSTIC
PUNCH

IVORY
BODY

16mm
Thickness

NOOR
BROWN

R-5





**600x
600mm**


**RUSTIC
PUNCH**

**IVORY
BODY**

16mm
Thickness

NOOR
GOLD

R-4



GLITERA



600x
600mm

RUSTIC
PUNCH

CHOCO
BODY

16mm
Thickness

PACIFIC
CHOCO

R-4



GLITERA





**600x
600mm**

**RUSTIC
PUNCH**


**GREY
BODY**

16mm
Thickness

PACIFIC
RUST

R-4





**600x
600mm**

**PLAIN
PUNCH**

**CHOCO
BODY**


16mm
Thickness

PEARL ASH

R-4



GLITERA



**600x
600mm**

**PLAIN
PUNCH**

**IVORY
BODY**

16mm
Thickness

PEARL
CREMA

R-4



GLITTERA





**600x
600mm**

**PLAIN
PUNCH**

**GREY
BODY**


16mm
Thickness


PEARL
GREY

R-2



GLITERA





**600x
600mm**

**PLAIN
PUNCH**

**GREY
BODY**

16mm
Thickness

PEARL
GRIGIO

R-4



GLITERA





GLITERA



600x
600mm

RUSTIC
PUNCH

IVORY
BODY

16mm
Thickness

QUARTZ

R-5





600x
600mm


RUSTIC
PUNCH

IVORY
BODY

16mm
Thickness

TIMBER
BROWN

R-4



GLITERA



**600x
600mm**

**RUSTIC
PUNCH**

**IVORY
BODY**

16mm
Thickness

**TIMBER
PINE**

R-4





600x
600mm

RUSTIC
PUNCH

BLACK
BODY

16mm
Thickness

VULCANO
NERO

R-6





600x
600mm

RUSTIC
PUNCH

GREY
BODY

16mm
Thickness

VULCANO
GOLD

R-6





600x
600mm

BRICKS
PUNCH

CHOCO
BODY

16mm
Thickness

YORKSTONE
NATURAL

R-4





**600x
600mm**

**BRICKS
PUNCH**

**IVORY
BODY**

16mm
Thickness

**YORKSTONE
EARTH**

R-6





600x
600mm

BRICKS
PUNCH

IVORY
BODY

16mm
Thickness

YORKSTONE
COTTO

R-4





600x
600mm

BRICKS
PUNCH

GREY
BODY

16mm
Thickness

YORKSTONE
ANCIENT

R-4



GLITERA



600x
600mm

BRICKS
PUNCH

GREY
BODY

16mm
Thickness

YORKSTONE
CARBON

R-4





600x
600mm

BRICKS
PUNCH

GREY
BODY

16mm
Thickness

YORKSTONE
SILVER

R-4



GLITERA



TECHNICAL SPECIFICATION

Dimension and Surface Quality	Test Method	Require	Result
Deviation in Length (l) & Width (w)	ISO 10545 - 2	± 1mm	0.00 mm
Thickness	ISO 10545 - 2	± 0.5mm	0.00 mm
Straightness of sides	ISO 10545 - 2	± 0.8mm	0.09 mm
Rectangularity	ISO 10545 - 2	± 1.5mm	0.11 mm

Physical Property

Water Absorption %	ISO 10545 - 3	Less then 0.5	0.044 %
Breaking Strength	ISO 10545 - 4	More then 1300	7194.95 N
Modulus of Rupter (MOR)N/mm ²	ISO 10545 - 4	35	49.06 N/mm ²
Resistance to surface abrasion	ISO 10545-7		PEI Class - III 1500 Revolution pass
Coefficient of Liner Thermal Expansion	ISO 10545 - 8	9X10-6 Max	5.51x10-6
Thermalshock Resis	ISO10545 - 9	10 Cycle, Min	Confirm
Crazing Resistance	ISO 10545-11	No Crazin in Two Cycle	Confirm
Moisture Expansion (in mm/mm)	ISO 10545 -10	0.02 mm/m max	0.01 mm/m max
Impact resistance	ISO 10545 - 5	0.55 Min	0.78
Scrach hardness of Srface	ISO 13630 - 13	5 moh's scal	5 Moh's
Bulk density, lin (g/cc)	ISO 10545 - 3	2.2 m'n	2.2903 glcc

Chemical Property

Resistance to Stain	ISO 10545-14	Min Class - 3	Class - 5
Resistance to Low Concentration of acid and alkali	ISO 10545-13	Min Class-GLC	Class GLA

Packaging Details:

Size	Thickness	Pcs/Box	Sq. Mtr/ Box	Kg. /Box
600x600mm	16mm	02 Pcs	0.72m ²	25 kgs



GLITERA

Glittering Your Spaces